





United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/739,989 12/18/2000		Jaan Noolandi	D/A0489Q	4290
7.	590 12/02/2002		· .	· · ·
John E. Beck			EXAM	INER
Xerox Corpora Xerox Square-2	20A		DAWSON,	GLENN K
Rochester, NY	14644		ART UNIT	PAPER NUMBER
			·3761	
			DATE MAILED: 12/02/2002	

Please find below and/or attached an Office communication concerning this application or proceeding.

, ,•		Application No.	Applicant(s)				
		09/739,989	NOOLANDI ET AL.				
	Office Action Summary	Examiner	Art Unit				
		Glenn K Dawson	3761				
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address						
Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM							
THE N - Exten after S - If the - If NO - Failur - Any re	DRIENED STATUTORY PERIOD FOR REPLY MAILING DATE OF THIS COMMUNICATION. sions of time may be available under the provisions of 37 CFR 1.13 (SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a reply period for reply is specified above, the maximum statutory period we to reply within the set or extended period for reply will, by statute, apply received by the Office later than three months after the mailing dipatent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be ti y within the statutory minimum of thirty (30) da vill apply and will expire SIX (6) MONTHS fron cause the application to become ABANDON	mely filed ys will be considered timely. n the mailing date of this communication. ED (35 U.S.C.§ 133).				
1) 🖾	Responsive to communication(s) filed on 13 S	September 2002 .					
2a)□	•	is action is non-final.					
·	•		prosecution as to the merits is				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the ments is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
•	on of Claims						
,—	Claim(s) <u>1-17</u> is/are pending in the application						
	4a) Of the above claim(s) is/are withdrawn from consideration.						
	Claim(s) is/are allowed.		·				
•	Claim(s) <u>1-17</u> is/are rejected.						
-	Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or election requirement. Application Papers							
9) 🔲 -	The specification is objected to by the Examine	r.	•				
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
11) ☐ The proposed drawing correction filed on is: a) ☐ approved b) ☐ disapproved by the Examiner.							
If approved, corrected drawings are required in reply to this Office action.							
12) The oath or declaration is objected to by the Examiner.							
Priority under 35 U.S.C. §§ 119 and 120							
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a) ☐ All b) ☐ Some * c) ☐ None of:							
	1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No							
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 							
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).							
a) ☐ The translation of the foreign language provisional application has been received. 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.							
Attachmen							
2) Notic	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449) Paper No(s) _	5) Notice of Informa	rry (PTO-413) Paper No(s)				
J.S. Patent and T	rademark Office						

Application/Control Number: 09/739,989

Art Unit: 3761

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- (e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) do not apply to the examination of this application as the application being examined was not (1) filed on or after November 29, 2000, or (2) voluntarily published under 35 U.S.C. 122(b). Therefore, this application is examined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.

Application/Control Number: 09/739,989

Art Unit: 3761

3. Resolving the level of ordinary skill in the pertinent art.

4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 1-9,11-15 and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hauser-'828 in view of Zesch, et al.-6200491.

Hauser discloses the use of parabolic reflecting surface (lens) to focus Rf vibrational energy onto medication to cause it to atomize into droplets less than 6 micrometers in diameter. However, the placement from the body and the number and type of lenses used is not disclosed. It would have been obvious to have placed the device within 4 in. of the mouth or nose of the user, as it is common for vaporized medications to be inhaled through the nose or mouth, and to place it the claimed distance therefrom would be obvious to prevent loss of medication.

Zesch discloses the use of an array of lenses vibrated by a single transducer. To have provided Hauser with a plurality of lenses for each medication would have been obvious in order to provide for more even distribution of particles in the desired size range.

Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over hauser-'828 in view of Zesch-'491, and further in view of Lloyd, et al.-5497763.

Hauser as modified by Zesch makes obvious the invention as claimed with the exception of the flow sensor to synchronize the vibration of the transducer with inhalation. Lloyd discloses in col. 21 line 50 –col. 22 line 12 that it was known to use a flow sensor to synchronize the administration of inhaled medication with inhalation. It would have been obvious to have provided Hauser with a flow sensor in order to

Page 4

Application/Control Number: 09/739,989

Art Unit: 3761

synchronize the delivery of the droplets with the inhalation so that the medication is delivered during the time it is most beneficial.

Response to Arguments

Applicant's arguments with respect to claims 1-17 have been considered but are most in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Glenn K Dawson whose telephone number is 703-308-4304. The examiner can normally be reached on M-Th 7:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Weilun Lo can be reached on 703-308-1957. The fax phone numbers for the organization where this application or proceeding is assigned are 703-305-3590 for regular communications and 703-306-4520 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0858.

Glenn K Dawson Primary Examiner Art Unit 3761

gkd November 27, 2002